

Betamethasone / Clotrimazole Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

SECTION 1: IDENTIFICATION

Product name : Betamethasone / Clotrimazole Cream Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protec-
tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/
attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste
disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	≥ 10 -< 30
Propylene glycol	57-55-6	< 10
White mineral oil (petroleum)	8042-47-5	< 10
clotrimazole	23593-75-1	< 3
Benzyl alcohol	100-51-6	< 10
betamethasone	378-44-9	≥ 0.01 -< 0.3

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention.

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Most important symptoms and effects, both acute and delayed	: Rinse mouth thoroughly with water. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version 6.0	Revision Date: 06.04.2024	SDS Number: 412891-00021	Date of last issue: 30.09.2023 Date of first issue: 14.12.2015
----------------	------------------------------	-----------------------------	---

Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

SAFETY DATA SHEET

Betamethasone / Clotrimazole Cream Formula-
tion

Version 6.0 Revision Date: 06.04.2024 SDS Number: 412891-00021 Date of last issue: 30.09.2023
Date of first issue: 14.12.2015

		(Form of exposure)	ters / Permissible concentration	
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Propylene glycol	57-55-6	TWA (particulate)	10 mg/m ³	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m ³	AU OEL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Essentially no open handling permitted.
Use closed processing systems or containment technologies.
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version 6.0	Revision Date: 06.04.2024	SDS Number: 412891-00021	Date of last issue: 30.09.2023 Date of first issue: 14.12.2015
----------------	------------------------------	-----------------------------	---

posable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially
contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: cream
Colour	: white to off-white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version 6.0	Revision Date: 06.04.2024	SDS Number: 412891-00021	Date of last issue: 30.09.2023 Date of first issue: 14.12.2015
----------------	------------------------------	-----------------------------	---

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Based on data from similar materials

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg
LD50 (Mouse): 761 mg/kg
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

II**betamethasone:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
	LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.4 mg/l
	Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:**Petrolatum:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Propylene glycol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

White mineral oil (petroleum):

Species	: Rabbit
Result	: No skin irritation

clotrimazole:

Species	: Rabbit
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

betamethasone:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Components:**Petrolatum:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

White mineral oil (petroleum):

Species	:	Rabbit
Result	:	No eye irritation

clotrimazole:

Species	:	Rabbit
Result	:	Mild eye irritation

Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

betamethasone:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Petrolatum:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Propylene glycol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

White mineral oil (petroleum):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Benzyl alcohol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

betamethasone:

Exposure routes	: Dermal
Species	: Guinea pig
Result	: Weak sensitizer

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Petrolatum:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

White mineral oil (petroleum):

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Hamster Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**Petrolatum:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

clotrimazole:

Species	: Rat
Application Route	: Oral
Exposure time	: 78 weeks
Result	: negative

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

May damage the unborn child.

Components:**Petrolatum:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

White mineral oil (petroleum):

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact
----------------------	--

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	06.04.2024	412891-00021	30.09.2023
			Date of first issue: 14.12.2015

	Result: negative
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
clotrimazole:	
Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: LOAEL: 50 mg/kg body weight Result: Effects on fertility
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 50 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 200 mg/kg body weight Result: No effects on foetal development Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 180 mg/kg body weight Result: No effects on foetal development
Reproductive toxicity - As- sessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi- ments.
Benzyl alcohol:	
Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------------	---	--

betamethasone:

Effects on foetal develop- ment	:	Species: Rabbit Application Route: Intramuscular Developmental Toxicity: LOAEL: 0.05 mg/kg body weight Result: Fetotoxicity, Malformations were observed.
------------------------------------	---	--

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - As- sessment	:	Clear evidence of adverse effects on development, based on animal experiments.
---	---	---

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:**clotrimazole:**

Target Organs	:	Liver, Kidney, Adrenal gland
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs	:	Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Repeated dose toxicity**Components:****Petrolatum:**

Species	: Rat
NOAEL	: 5,000 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

Propylene glycol:

Species	: Rat, male
NOAEL	: $\geq 1,700$ mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

White mineral oil (petroleum):

Species	: Rat
LOAEL	: 160 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Species	: Rat
LOAEL	: ≥ 1 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 412

clotrimazole:

Species	: Rabbit
LOAEL	: 5 - 40 mg/kg
Application Route	: Skin contact
Exposure time	: 3 Weeks
Target Organs	: Skin
Symptoms	: Oedema, Fissuring, Necrosis, Redness

Species	: Rat
LOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Liver, Kidney, Adrenal gland

Species	: Dog
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 6 - 12 Months
Target Organs	: Adrenal gland
Symptoms	: Salivation, Lachrymation, Vomiting

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

betamethasone:

Species	: Rabbit
LOAEL	: 0.05 %
Application Route	: Skin contact
Exposure time	: 10 - 30 d
Target Organs	: Pituitary gland, Immune system, muscle

Species	: Rat
LOAEL	: 0.05 %
Application Route	: Skin contact
Exposure time	: 8 Weeks
Target Organs	: thymus gland

Species	: Mouse
LOAEL	: 0.1 %
Application Route	: Skin contact
Exposure time	: 8 Weeks
Target Organs	: thymus gland

Species	: Dog
LOAEL	: 0.05 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Target Organs	: Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****clotrimazole:**

Skin contact	: Symptoms: Rash, Itching, Blistering, Oedema, Redness
Ingestion	: Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

betamethasone:

Inhalation	: Target Organs: Adrenal gland
Skin contact	: Symptoms: Redness, pruritis, Irritation

Betamethasone / Clotrimazole Cream Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Petrolatum:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Propylene glycol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

White mineral oil (petroleum):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
------------------	---	--

Betamethasone / Clotrimazole Cream Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d

clotrimazole:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.02 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.01 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 10,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
------------------	--

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

betamethasone:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l Exposure time: 32 d Method: OECD Test Guideline 210 NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l Exposure time: 219 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version 6.0	Revision Date: 06.04.2024	SDS Number: 412891-00021	Date of last issue: 30.09.2023 Date of first issue: 14.12.2015
----------------	------------------------------	-----------------------------	---

Persistence and degradability**Components:****Petrolatum:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---	--

Propylene glycol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

White mineral oil (petroleum):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
------------------	---	---

clotrimazole:

Stability in water	:	Hydrolysis: 50 %(242 d)
--------------------	---	-------------------------

Benzyl alcohol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	--

Bioaccumulative potential**Components:****Propylene glycol:**

Partition coefficient: n-octanol/water	:	log Pow: -1.07 Method: Regulation (EC) No. 440/2008, Annex, A.8
--	---	--

Benzyl alcohol:

Partition coefficient: n-octanol/water	:	log Pow: 1.05
--	---	---------------

betamethasone:

Partition coefficient: n-octanol/water	:	log Pow: 2.11
--	---	---------------

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, betamethasone)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (clotrimazole, betamethasone)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, betamethasone)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

SAFETY DATA SHEET



Betamethasone / Clotrimazole Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, betamethasone)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: •3Z
Environmentally hazardous	: yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
---	---

Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date	: 06.04.2024
---------------	--------------

**Betamethasone / Clotrimazole Cream Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

SAFETY DATA SHEET



Betamethasone / Clotrimazole Cream Formula- tion



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	06.04.2024	412891-00021	Date of first issue: 14.12.2015

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN